

From: Trish Taylor/R3/USEPA/US
Sent: 1/19/2012 7:03:38 PM
To: Ann DiDonato/R3/USEPA/US@EPA
CC:
Subject: Fw: Update on EPA's Efforts in Dimock

Trish Taylor, Community Involvement Coordinator
Hazardous Site Cleanup Division
U.S. Environmental Protection Agency, Region 3
1650 Arch Street, Philadelphia, PA
phone: (215) 814 - 5539
fax: (215) 814 - 5031

----- Forwarded by Trish Taylor/R3/USEPA/US on 01/19/2012 07:03 PM -----

From: Helen Duteau/R3/USEPA/US
To: Trish Taylor/R3/USEPA/US
Cc: Richard Fetzer/R3/USEPA/US@EPA
Date: 01/19/2012 05:30 PM
Subject: Fw: Update on EPA's Efforts in Dimock

Trish,

Spoke to [Ex. 6 - Personal Privacy] and he's going to be out of town over the next few weeks so he wants us to contact Guy Parrish-- the Cabot contractor who can give us access to his well shed. [Ex. 6 - Personal Privacy] is fine with PADEP and Cabot taking split samples.

Guy Parrish
(570) 278-9743 (office)
(607) 759-8201 (cell)

----- Forwarded by Helen Duteau/R3/USEPA/US on 01/19/2012 05:27 PM -----

From: [Ex. 6 - Personal Privacy]
To: Helen Duteau/R3/USEPA/US@EPA
Cc: <john.smelko@cabotog.com>, "George Stark" <george.stark@cabotog.com>
Date: 01/19/2012 05:24 PM
Subject: RE: Update on EPA's Efforts in Dimock

Contact Guy Parrish to coordinate water sampling. Cabot and PADEP are welcome to join you.

[Ex. 6 - Personal Privacy]

Ex. 6 - Personal Privacy

From: Helen Duteau [mailto:Duteau.Helen@epamail.epa.gov]
Sent: Thursday, December 29, 2011 2:06 PM
Cc: Trish Taylor; David Polish

Subject: Update on EPA's Efforts in Dimock

Dear Dimock Residents:

On behalf of Trish Taylor, I'm providing you with an update and attached fact sheet about EPA's activities in Dimock, PA. Please continue to address any questions or concerns to Trish and she will be happy to follow up with you when she returns to the office. Thank you.

EPA Update:

Earlier data reviewed by EPA in November 2011 indicated that private well water posed no immediate health risks. We also said that we would continue to review the latest data and keep you informed. EPA has recently received and reviewed hundreds of pages of the latest Cabot data supplied by the residents. While EPA is not in a position to make any conclusions about the data we have in hand because there are gaps, we believe that additional information is needed to better understand the situation in Dimock and respond appropriately. Therefore, EPA is considering next steps including conducting some sampling of well water in the area.

EPA staff plan to be in Dimock beginning today to survey residents to begin filling these information gaps about their drinking water supply and will share next steps when we have more complete information. We will keep you informed of our next steps as soon as possible.

Trish Taylor, Community Involvement Coordinator
Hazardous Site Cleanup Division
U.S. Environmental Protection Agency, Region 3
1650 Arch Street, Philadelphia, PA
phone: (215) 814 - 5539
fax: (215) 814 - 5031

Sincerely,

Helen DuTeau, Chief
Community Involvement and Outreach Branch
U.S. EPA, Region 3
1650 Arch Street (3HS52)
Philadelphia, PA 19103-2029
Office: (215) 814-5521
Fax: (215) 814-3015
Mobile: (267) 738-7284
E-mail: duteau.helen@epa.gov

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg
which may be a computer program. This attached computer program could
contain a computer virus which could cause harm to EPA's computers,
network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced
into the EPA network. EPA is deleting all computer program attachments
sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you
should contact the sender and request that they rename the file name

extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****